

STEAM WORK





STEAM WORK

Ash 20x120 - Ash Emma - Anna - Sara - Lucia 29,6x29,6







Nut 20x120

STEAM WORK

Ivory



SWK3010 Steam Work Ivory 30x120 12"x47,2"



625 SWKA10 Steam Work Ivory Anna 29,6x29,6 11,8"x11,8"



592 SWKE10 Steam Work Ivory Emma 29,6x29,6 11,8"x11,8"



SWK1210 Steam Work Ivory 20x120 8"x47,2"



625 SWKL10 Steam Work Ivory Lucia 29,6x29,6 11,8"x11,8"



592 SWKS10 Steam Work Ivory Sara 29,6x29,6 11,8"x11,8"

Oak



SWK3080 Steam Work Oak 30x120 12"x47,2"



625 SWKA80 Steam Work Oak Anna 29,6x29,6 11,8"x11,8"



592 SWKE80 Steam Work Oak Emma 29,6x29,6 11,8"x11,8"



SWK1280 Steam Work Oak 20x120 8"x47,2"



625 SWKL80 Steam Work Oak Lucia 29,6x29,6 11,8"x11,8"



592 SWKS80 Steam Work Oak Sara 29,6x29,6 11,8"x11,8"

Nut



SWK3060 Steam Work Nut 30x120 12"x47,2"



625 SWKA60 Steam Work Nut Anna 29,6x29,6 11,8"x11,8"



592 SWKE60 Steam Work Nut Emma 29,6x29,6 11,8"x11,8"



SWK1260 Steam Work Nut 20x120 8"x47,2"



625 SWKL60 Steam Work Nut Lucia 29,6x29,6 11,8"x11,8"



592 SWKS60 Steam Work Nut Sara 29,6x29,6 11,8"x11,8"

Cherry



SWKE50 Steam Work Cherry
Emma 29,6x29,6 11,8"x11,8"

592



SWKA50 Steam Work Cherry
Anna 29,6x29,6 11,8"x11,8"

592



SWK3050 Steam Work Cherry 30x120 12"x47,2"

625



SWKS50 Steam Work Cherry
Sara 29,6x29,6 11,8"x11,8"

592



SWKL50 Steam Work Cherry
Lucia 29,6x29,6 11,8"x11,8"

592



SWK1250 Steam Work Cherry 20x120 8"x47,2"

625

Ash



SWKE40 Steam Work Ash
Emma 29,6x29,6 11,8"x11,8"

592



SWKA40 Steam Work Ash
Anna 29,6x29,6 11,8"x11,8"

592




SWK3040 Steam Work Ash 30x120 12"x47,2"

625



SWKS40 Steam Work Ash
Sara 29,6x29,6 11,8"x11,8"

592



SWKL40 Steam Work Ash
Lucia 29,6x29,6 11,8"x11,8"

592



SWK1240 Steam Work Ash 20x120 8"x47,2"

625

Ebony



SWKE70 Steam Work Ebony
Emma 29,6x29,6 11,8"x11,8"

592



SWKA70 Steam Work Ebony
Anna 29,6x29,6 11,8"x11,8"

592



SWK3070 Steam Work Ebony 30x120 12"x47,2"

625



SWKS70 Steam Work Ebony
Sara 29,6x29,6 11,8"x11,8"

592



SWKL70 Steam Work Ebony
Lucia 29,6x29,6 11,8"x11,8"

592



SWK1270 Steam Work Ebony 20x120 8"x47,2"


625

STEAM WORK

Souzioni di posa - Laying proposals



PANNELLO **A**
2 SOGGETTI
POSA SCACCHIERA
ANNA / SARA



PANNELLO **B**
2 SOGGETTI
POSA TAPPETO
PARZIALE
LUCIA / EMMA

Souzioni di posa - Laying proposals

PANNELLO **C**
2 SOGGETTI
POSA TAPPETO
PARZIALE
ANNA / SARA



PANNELLO **D**
4 SOGGETTI
RANDOM
ANNA / SARA
LUCIA / EMMA




STEAM WORK

Pezzi Speciali - Special Pieces



- SWKB10** Battiscopa Steam Work Ivory
- SWKB40** Battiscopa Steam Work Ash
- SWKB50** Battiscopa Steam Work Cherry
- SWKB60** Battiscopa Steam Work Nut
- SWKB70** Battiscopa Steam Work Ebony
- SWKB80** Battiscopa Steam Work Oak

- 6x120 2,4"x47" **538**
- 6x120 2,4"x47" **538**
- 6x120 2,4"x47" **538**
- 6x120 2,4"x47" **538**
- 6x120 2,4"x47" **538**
- 6x120 2,4"x47" **538**



- SWKS10** Scalino Costa Retta Steam Work Ivory
- SWKS40** Scalino Costa Retta Steam Work Ash
- SWKS50** Scalino Costa Retta Steam Work Cherry
- SWKS60** Scalino Costa Retta Steam Work Nut
- SWKS70** Scalino Costa Retta Steam Work Ebony
- SWKS80** Scalino Costa Retta Steam Work Oak

- 20x120 8"x47" **775**
- 20x120 8"x47" **775**
- 20x120 8"x47" **775**
- 20x120 8"x47" **775**
- 20x120 8"x47" **775**
- 20x120 8"x47" **775**
- 20x120 8"x47" **775**



Imballi - Packing - Verpackung - Emballage - Embalaje

PORCELLANATO
IMPASTO COLORATOBIOTECH[®]
CERAMICA PORCELLANATA













STEAMWORK

Formato Size Format Formato	Pezzi/Scatola Pieces/Box Stück/Karton Pieces/Boîte Piezas/Caja	Mq./Scatola Sqm./Box Qm./Karton M ² /Boîte Mq./Caja	Kg./Scatola Kg./Box Kg./Karton Kg./Boîte Kg./Caja	Scatole/Pallet Boxes/Pallet Kartons/Palette Boîte/Palette Caja/Pallet	Mq./Pallet Sqm./Pallet Qm./Palette M ² /Palette Mq./Pallet	Kg./Pallet Kg./Box Kg./Palette Kg./Palette Kg./Pallet	Spessore Thickness Stärke Epaisseur Espesor
30x120	4	1,410	33,40	36	50,76	1.222	10 mm
20x120	6	1,410	33,40	45	63,45	1.523	10 mm
29,6x29,6 anna	13	1,170	24,20	40	46,80	983	10 mm
29,6x29,6 anna	13	1,170	24,20	40	46,80	983	10 mm
29,6x29,6 anna	13	1,170	24,20	40	46,80	983	10 mm
29,6x29,6 anna	13	1,170	24,20	40	46,80	983	10 mm
6x120 battiscopa	6	-	-	-	-	-	-
20x120 scalino costa retta	2	-	-	-	-	-	-

Dati tecnici secondo norme - Technical data conform to - Caractéristiques techniques d'après normes - Technische Daten nach den Normen

EN 14411 B I, GL

STEAMWORK

	Caratteristiche tecniche Technical data Caractéristiques techniques Technische Daten	Norme Norms Normes Norm	Valori ascot Value ascot Valeur ascot Wert ascot		Caratteristiche tecniche Technical data Caractéristiques techniques Technische Daten	Norme Norms Normes Norm	Valori ascot Value ascot Valeur ascot Wert ascot
	Resistenza all'abrasione Abrasion resistance Résistance à l'abrasion Abrasionswiderständigkeit	ISO 10545-7	PEI V		Scivolosità Slipperiness Degré de glissement Rutschhemmung	DIN 51130	R10
	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme	ISO 10545-3	≤ 0,5%		Resistenza allo scivolamento Slip resistance Résistance au glissement Rutschhemmung	DIN 51097	A+B
	Resistenza alla flessione Breaking modulus Résistance à la flexion Biegefestigkeit	ISO 10545-4	40÷55 N/mm²		Scivolosità Slipperiness Degré de glissement Rutschhemmung	ANSI A137-1	> 0,42
	Resistenza al gelo Resistance to frost Résistance au gel Frostbeständigkeit	ISO 10545-12	Non gelive Frost proof Ingefilit Frostsicher		Scivolamento B.C.R.A. Slipperiness B.C.R.A. Degré de glissement B.C.R.A. Rutschhemmung B.C.R.A.	TORTUS	WET > 0,40 DRY > 0,40
	Resistenza all'attacco acido e basico Glaze resistance to acid and alkaline attack Résistance aux acides et aux bases Säure- und laugenfestigkeit	ISO 10545-13	Resiste Resists Resiste Bestanding		Durezza Mohs Mohs hardness Dureté Mohs Haerte Mohs	EN101	8
	Resistenza alle macchie Stain resistance Résistance aux taches Fleckenfestigkeit	ISO 10545-14	Totale Complete Totale Absolut		Stonizzazione Shading Denuançage Spielfarbig		V2



CERAMICHE
ASCOT S.P.A.
VIA CROCE, 80 - 41014
SOLIGNANO (MO) ITALY
TEL +39 059 77.84.11
FAX +39 059 77.84.44/43
info@ascot.it
www.ascot.it

