

CLAY



MIRAGE[®]
INSPIRING BETTER LIVING

CLAY

Scopri di più
Discover more



MIRAGE[®]
INSPIRING BETTER LIVING

I campioni fotografati servono a dare un'idea indicativa del prodotto, colori e strutture non hanno nessun valore impegnativo. _ The samples photographed are intended to give an approximate idea of the product; the colours and textures shown are not binding. _ Die abgebildeten Muster sollen eine Vorstellung von dem Produkt vermitteln, Farben und Formen sind nicht verbindlich. _ Les échantillons sur photos servent à transmettre une idée du produit, des couleurs et des structures. Ils ne sont donnés qu'à titre indicatif et n'engagent pas le producteur. _ Las muestras fotografiadas sirven para dar una idea indicativa del producto, por lo que ni los colores ni las estructuras son vinculantes. _ Представленные на фотографии образцы служат исключительно в качестве примера продукта, цвета и структура не имеют никакого обязывающего значения.

CLAY

Per l'architettura e il design le resine rappresentano una risorsa progettuale ed estetica, uno strumento per realizzare grandi effetti scenografici ma anche spazi minimali, con versatilità compositiva e materica.

Clay presenta l'effetto spalmatura tipico della resina, con un leggero contrasto lucido su superficie opaca, in una palette dai colori densi, sia caldi che freddi, che vanno dal bianco a tre diverse tonalità di grigio, dal greige al taupe, con l'aggiunta di tre colori dall'anima contemporanea: cotto, senape e blu petrolio, adatti a vestire con personalità ogni tipo di spazio.

For architecture and design, resins are an excellent planning and style resource, ideal for creating grand, striking effects; they're equally suitable for smaller spaces, offering versatility in terms of composition and material.

Clay features the coated effect typical of resin, with a slightly shiny effect on a matt surface, in a palette of dense colours, both warm and cool, ranging from white through three different shades of grey, from greige to taupe, and three colours with a contemporary soul: cotto, mustard and petrol blue, suitable for bringing a touch of character to any setting.

Pour l'architecture et le design, les résines représentent une ressource conceptuelle et esthétique, un instrument pour réaliser non seulement de grands effets scénographiques mais aussi des espaces minimalistes, avec une versatilité de composition et de matière. Clay présente l'effet d'enduit typique de la résine, avec un léger contraste brillant sur une surface opaque, dans une palette aux couleurs denses, aussi bien chaudes que froides, qui vont du blanc à trois tonalités différentes de gris - du greige au taupe - avec l'ajout de trois couleurs à l'âme contemporaine : terre cuite, moutarde et bleu pétrole, adaptées à revêtir avec personnalité chaque type d'espace.

Für die Architektur und das Design stellen die Harze ein planerisches und ästhetisches Mittel dar, ein Instrument, um große spektakuläre Effekte zu schaffen, aber auch minimalistische Räume mit großer Zusammensetzungs- und Materialvielfalt zu gestalten. Clay weist den für Harz typischen Streicheffekt mit einem leichten glänzenden Kontrast auf matter Oberfläche in einer Farbpalette aus dichten sowohl warmen als auch kalten reichhaltigen Farben auf, die von weiß bis hin zu drei verschiedenen Grautönen, vom Greige zum Taupe reichen. Hierzu kommen drei Farben mit zeitgenössischem Esprit - Cotto, Senfgelb und Petrolblau, die geeignet sind, jede Art von Raum mit starker Persönlichkeit zu verkleiden.

Las resinas constituyen, para la arquitectura y el diseño, un recurso estético y de proyecto, un material que permite crear efectos espectaculares pero también espacios minimalistas, con una gran versatilidad matérica y de composición.

Clay presenta el efecto estucado típico de la resina, con un ligero contraste brillante sobre una superficie mate, en una paleta de colores densos, tanto cálidos como fríos, que van del blanco a tres tonos diferentes de gris, del greige al taupe, más otros tres colores de alma contemporánea: terracota, mostaza y azul petróleo, aptos para vestir con personalidad todo tipo de espacios.

对于建筑和设计而言，树脂代表了一种设计和美学资源，是一种在即使空间很小的情况下也能创造强大装饰效果的工具，组合与质感均百搭。

Clay系列具有树脂的典型涂层效果，与哑光表面形成轻微的光泽对比。至于颜色，除了从冷色调和暖色调的浓色（包括白色以及从灰米色到灰褐色等三种不同的灰色调）外，还增添了三种时尚颜色：赤陶色、芥末色和汽油蓝色，适合于装饰任何类型的空间，打造个性独特的风格。



CLAY

10 COLORI / COLORS

9 FORMATI / SIZES

3 SUPERFICI / FINISHES

SPAZZOLATA, NATURALE E STRUTTURATA

► 6 mm ◀

1200x2780 / 48"x110"

► 9 mm ◀

300x600 / 12"x24"

600x600 / 24"x24"

200x800 / 8"x31½"

400x800 / 15¾"x31½"

800x800 / 31½"x31½"

600x1200 / 24"x48"

1200x1200 / 48"x48"

► 20 mm ◀

800x800 / 31½"x31½"

CALM

CL 01

DELIGHT

CL 02

AWAKE

CL 03

FANCY

CL 04

VERVE

CL 05

SHY

CL 06

TRUST

CL 07

KARMA

CL 08

GLEE

CL 09

GRACE

CL 10

Calm CL 01

Wall: Calm CL 01 SP SQ 1200x2780 / 48"x110"



Wall: Calm CL 01 SP SQ 200x800 / 8"x31½"

Floor: Calm CL 01 SP SQ 800x800 / 31½"x31½"

CLAY



Calm CL 01

Wall: Calm CL 01 SP SQ 1200x2780 / 48"x110"

Floor: Calm CL 01 SP SQ 1200x1200 / 48"x48"



C a l m C L 0 1

Wall: Calm CL 01 SP SQ 1200x2780 / 48"x110"

Floor: Noon Daylight NN 01 NAT SQ 200x1200 / 8"x48"



Glee CL 09

Wall: Glee CL 09 SP SQ 400x800 / 15¾"x31½"

Floor: Calm CL 01 SP SQ 800x800 / 31½"x31½"



Wall: Glee CL 09 SP SQ 600x1200 / 24"x48"

CLAY

Delight CL 02

Wall: Delight CL 02 SP SQ 1200x2780 / 48"x110"



Floor: Delight CL 02 NAT SQ 800x800 / 31½"x31½"



Delight CL 02

Wall: Delight CL 02 SP SQ 600x1200 / 24"x48", SP SQ 1200x2780 / 48"x110"

Bench: Delight CL 02 SP SQ

Floor: Delight CL 02 Patchy 400x347 / 15³/₄"x13¹/₂"

Vanity top: Cosmopolitan Arabescato Oro CP 03 LUC SQ



Awake CL 03

Wall: Awake CL 03 SP SQ 1200x2780 / 48"x110"



Table: Jewels Statuario Venato JW 14 LUC SQ
Floor: Awake CL 03 SP SQ 800x800 / 31½"x31½"

Awake CL 03



Wall: Awake CL 03 SP SQ 1200x2780 / 48"x110"
Floor: Awake CL 03 SP SQ 1200x1200 / 48"x48"



Wall: Awake cl 03 SP SQ 1200x2780 / 48"x110"
Floor: Awake CL 03 SP SQ 1200x1200 / 48"x48"

Awake CL 03



Wall: Awake CL 03 SP SQ 1200x2780 / 48"x110"
Floor: Awake CL 03 SP SQ 600x1200 / 24"x48"



Outdoor floor: Awake CL 03 ST SQ 800x800 / 31½"x31½" EVO_2/E™ ± 20 mm
Flowerpot and bench: Norr Grå RR 02 NAT

K a r m a C L 0 8

Wall: Awake CL 03 SP SQ 1200x2780 / 48"x110"
Floor: Awake CL 03 NAT SQ 600x600 / 24"x24"
Counter: Karma CL 08 SP SQ 200x800 / 8"x31½"



Wall: Karma CL 08 SP SQ 200x800 / 8"x31½"

CLAY

Fancy CL 04

Wall: Fancy CL 04 SP SQ 1200x2780 / 48"x110"



Wall: Fancy CL 04 SP SQ 1200x2780 / 48"x110"
Calm CL 01 SP SQ 1200x2780 / 48"x110"
Fancy CL 04 Curtain SP SQ 400x400 / 15¾"x15¾"
Washbasin: Norr Gra RR 02 NAT SQ
Floor: Fancy CL 04 SP SQ 800x800 / 31½"x31½"



Fancy CL 04

Wall:

Norr Farge RR 05 NAT SQ 1200x2780 / 48"x110"

Fancy CL 04 SP SQ 1200x2780 / 48"x110"

Floor:

Fancy CL 04 SP SQ 1200x1200 / 48"x48"



Fancy CL 0 4

Wall: Fancy CL 04 SP SQ 1200x2780 / 48"x110"

Floor: Fancy CL 04 SP SQ 1200x1200 / 48"x48"



Verve CL 05

Wall: Verve CL 05 SP SQ 1200x2780 / 48"x110"



Wall: Verve CL 05 SP SQ 1200x2780 / 48"x110"

Floor: Jurupa Camp JP 04 NAT SQ 200x1200 / 8"x48"

CLAY

Verve CL05



Wall: Verve CL 05 SP SQ 1200x2780 / 48"x110"
Bench: Verve CL 05 SP SQ
Floor: Delight CL 02 SP SQ 1200x1200 / 48"x48"





Verve CL 05

Countertop: Jewels Moonless JW 17 LUC SQ 1200x2780 / 48"x110"

Floor: Verve CL 05 SP SQ 1200x1200 / 48"x48"

Shy CL 06

Wall: Shy CL 06 SP SQ 1200x2780 / 48"x110"



Wall: Shy CL 06 SP SQ 1200x2780 / 48"x110"

Writing Desk: Verve CL 05 SP

Floor: Shy CL 06 SP SQ 400x800 / 15¾"x31½"

CLAY



Shy CL 06

Wall: Norr 2.0 RR 02 NAT SQ 1200x2780 / 48"x110"

Floor: Shy CL 06 SP SQ 1200x1200 / 48"x48"



Grace CL 10

Wall: Grace CL 10 SP SQ 400x800 / 15¾"x31½"

Floor: Jurupa Master JP 03 NAT SQ 200x1200 / 8"x48"



Trust CL 07

Wall and Bench: Trust CL 07 SP SQ 1200x2780 / 48"x110"



Wall and Bench: Trust CL 07 SP SQ 1200x2780 / 48"x110"

Floor: Nest Trust CL 07 SP SQ 210x420 / 8½"x17"

CLAY



Trust CL 07

Floor: Trust CL 07 ST SQ 800x800 / 31½" x 31½" EVO_2/E™ ± 20 mm



Trust CL 07

Wall: Trust CL 07 SP SQ 1200x2780 / 48"x110"

Floor: Trust CL 07 ST SQ 800x800 / 31½"x31½" EVO_2/E™ 20 mm

Bench and Flowerpot: Delight CL 02 SP SQ



CALM

CL01

± 6 mm

1200x2780 / 48"x110"
SP SQ

± 9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ - NAT SQ

800x800 / 31½"x31½"
SP SQ - NAT SQ

400x800 / 15¾"x31½"
SP SQ - NAT SQ

200x800 / 8"x31½"
SP SQ

600x600 / 24"x24"
NAT SQ

300x600 / 12"x24"
NAT SQ



Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.



Stucchi consigliati
Recommended grouts

KERAKOLL	07	
MAPEI	111 Grigio Argento	
LATICRETE	44 Bright White	

Shade variation



Slight variation

5 0



DELIGHT

CL02

± 6 mm

1200x2780 / 48"x110"
SP SQ

± 9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ - NAT SQ

800x800 / 31½"x31½"
SP SQ - NAT SQ

400x800 / 15¾"x31½"
SP SQ - NAT SQ

200x800 / 8"x31½"
SP SQ

600x600 / 24"x24"
NAT SQ

300x600 / 12"x24"
NAT SQ



Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

± 20 mm

800x800 / 31½" x31½"
ST SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	06	
MAPEI	110 Manhattan	
LATICRETE	88 Silver Shadow	

Shade variation



Slight variation



5 1

A W A K E

C L 0 3

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ - NAT SQ

800x800 / 31½"x31½"
SP SQ - NAT SQ

400x800 / 15¾"x31½"
SP SQ - NAT SQ

200x800 / 8"x31½"
SP SQ

600x600 / 24"x24"
NAT SQ

300x600 / 12"x24"
NAT SQ



Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

20 mm

800x800 / 31½" x31½"
ST SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	08	
MAPEI	112 Grigio Medio	
LATICRETE	78 Sterling Silver	

Shade variation



Slight variation



F A N C Y

C L 0 4

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ - NAT SQ

800x800 / 31½"x31½"
SP SQ - NAT SQ

400x800 / 15¾"x31½"
SP SQ - NAT SQ

200x800 / 8"x31½"
SP SQ

600x600 / 24"x24"
NAT SQ

300x600 / 12"x24"
NAT SQ



Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

20 mm

800x800 / 31½" x31½"
ST SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	08	
MAPEI	112 Grigio Medio	
LATICRETE	78 Sterling Silver	

Shade variation



Slight variation



VERVE

CL05

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ - NAT SQ

800x800 / 31½"x31½"
SP SQ - NAT SQ

400x800 / 15¾"x31½"
SP SQ - NAT SQ

200x800 / 8"x31½"
SP SQ

600x600 / 24"x24"
NAT SQ

300x600 / 12"x24"
NAT SQ



Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.



Stucchi consigliati
Recommended grouts

KERAKOLL	11	
MAPEI	114 Antracite	
LATICRETE	45 Raven	

Shade variation



Slight variation



SHY

CL06

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ - NAT SQ

800x800 / 31½"x31½"
SP SQ - NAT SQ

400x800 / 15¾"x31½"
SP SQ - NAT SQ

200x800 / 8"x31½"
SP SQ

600x600 / 24"x24"
NAT SQ

300x600 / 12"x24"
NAT SQ



Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.



Stucchi consigliati
Recommended grouts

KERAKOLL	24	
MAPEI	137 Caraibi	
LATICRETE	90 Light Pewter	

Shade variation



Slight variation



TRUST

CL07

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ - NAT SQ

800x800 / 31½"x31½"
SP SQ - NAT SQ

400x800 / 15¾"x31½"
SP SQ - NAT SQ

200x800 / 8"x31½"
SP SQ

600x600 / 24"x24"
NAT SQ

300x600 / 12"x24"
NAT SQ



Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

20 mm

800x800 / 31½" x31½"
ST SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	08	
MAPEI	112 Grigio Medio	
LATICRETE	24 Natural Grey	

Shade variation



Slight variation



KARMA

CL08

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

600x1200 / 24"x48"
SP SQ

400x800 / 15¾"x31½"
SP SQ

200x800 / 8"x31½"
SP SQ



Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.



Stucchi consigliati
Recommended grouts

KERAKOLL	11	
MAPEI	174 Tornado	
LATICRETE	53 Twilight Blue	

Shade variation



Slight variation



GLEE

CL09

± 9 mm

600x1200 / 24"x48"
SP SQ

400x800 / 15¾"x31½"
SP SQ

200x800 / 8"x31½"
SP SQ



Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.



Stucchi consigliati
Recommended grouts

KERAKOLL	09	
MAPEI	113 Grigio Cemento	
LATICRETE	78 Sterling Silver	

Shade variation



Slight variation



GRACE

CL010

± 9 mm

600x1200 / 24"x48"
SP SQ

400x800 / 15¾"x31½"
SP SQ

200x800 / 8"x31½"
SP SQ



Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.



Stucchi consigliati
Recommended grouts

KERAKOLL	40	
MAPEI	114 Antracite	
LATICRETE	45 Raven	

Shade variation




Slight variation




CLAY

DECORS




CURTAIN

400x400 / 15¾"x15¾"




TRIBEND

300x300 / 12"x12"




MOSAICO 36T

300x300 / 12"x12"




PATCHY

400x347 / 15¾"x13¾"



NEST

210x420 / 8½"x17"




CURTAIN

CL 03 400x400 / 15¾"x15¾"

Disponibile in tutti i colori.

Available in all colours.






TRIBEND

CL 03 300x300 / 12"x12"

Disponibile in tutti i colori.

Available in all colours.




MOSAICO 36T

CL 03 300x300 / 12"x12"

Disponibile in tutti i colori.

Available in all colours.






PATCHY

CL 03 400x347 / 15¾"x13½"

Disponibile in tutti i colori.

Available in all colours.




NEST

CL 03 210x420 / 8½"x17"

Disponibile in tutti i colori.

Available in all colours.



EXHIBITION DESIGN PROPOSAL

PROPOSAL 01



PROPOSAL 02



PROPOSAL 04












PROPOSAL 05



PROPOSAL 03




PROPOSAL WALL WASHBASIN

01	 CL 01 Tribend 300x300 / 12"x12" Bacchetta Rame 15x600 / 3/5"x24"	+  CL 01 Mosaico 36T 300x300 / 12"x12"	 CL 04 BATHMOOD Glad
02	 CL 02 Tribend 300x300 / 12"x12" Bacchetta Rame 15x600 / 3/5"x24"	+  CL 02 Mosaico 36T 300x300 / 12"x12"	 CL 02 BATHMOOD Wonder
03	 CL 06 Patchy 400x800 / 15 3/4"x31 1/2" Bacchetta Titanio 15x600 / 3/5"x24"	+  CL 06 Patchy 400x347 / 15 3/4"x13 3/5"	 GC 03 BATHMOOD Comfort















PROPOSAL 06



PROPOSAL WALL WASHBASIN

04	 CL 03 Tribend 300x300 / 12"x12" Bacchetta Rame 15x600 / 3/5"x24"	+  CL 08 Curtain 300x300 / 12"x12"	 CL 03 BATHMOOD Glamour
05	 CL 05 Tribend 300x300 / 12"x12" Bacchetta Alluminio 15x600 / 3/5"x24"	+  CL 09 Curtain 200x800 / 8"x31 1/2"	 CL 05 BATHMOOD Delight
06	 CL 10 Tribend 200x800 / 8"x31 1/2" Bacchetta Alluminio 15x600 / 3/5"x24"		 CP 03 BATHMOOD Happiness

CLAY

																	
	1200x2780 48"x110"	1200x1200 48"x48"	600x1200 24"x48"	800x800 31 1/2"x31 1/2"	400x800 15 3/4"x31 1/2"	200x800 8"x31 1/2"	600x600 24"x24"	300x600 12"x24"	800x800 31 1/2"x31 1/2"	Mosaico 36T 300x300 12"x12"	Tribend 300x300 12"x12"	Nest 210x420 8 1/2"x17"	Curtain 400x400 15 3/4"x15 3/4"	Patchy 400x347 15 3/4"x13 2/3"			
Spessore - Thickness	± 6 mm	± 9 mm	± 9 mm	± 9 mm	± 9 mm	± 9 mm	± 9 mm	± 9 mm	± 20 mm	Decorì							
Superficie - Surface	SP	SP	SP NAT	SP NAT	SP NAT	SP NAT	SP NAT	SP NAT	R11 ST	SP	SP	SP	SP	SP			
CL01 CALM	APA5	AL00	AOZ2	ARP5	ALX8	AOY5	ALY6	AOX8	AMR8	AQ05	AQP2	-	AMY4	AMZ4	ANA4	AND2	ANB4
CL02 DELIGHT	APA6	AL01	AOZ3	ARP6	ALX9	AOY6	ALY7	AOX9	AMR9	AQ06	AQP3	ASD6	AMY5	AMZ5	ANA5	AND3	ANB5
CL03 AWAKE	ALV9	AL02	AOZ4	ARP7	ALY0	AOY7	ALY8	AOY0	AMS0	AQ07	AQP4	ASD7	AMY6	AMZ6	ANA6	AND4	ANB6
CL04 FANCY	APA7	AL03	AOZ5	ARP8	ALY1	AOY8	ALY9	AOY1	AMS1	AQ08	AQP5	ASD8	AMY7	AMZ7	ANA7	AND5	ANB7
CL05 VERVE	APA8	AL04	AOZ6	ARP9	ALY2	AOY9	ALZ0	AOY2	AMS2	AQ09	AQP6	-	AMY8	AMZ8	ANA8	AND6	ANB8
CL06 SHY	APA9	AL05	AOZ7	ARQ0	ALY3	AOZ0	ALZ1	AOY3	AMS3	AQP0	AQP7	-	AMY9	AMZ9	ANA9	AND7	ANB9
CL07 TRUST	APB0	AL06	AOZ8	ARQ1	ALY4	AOZ1	ALZ2	AOY4	AMS4	AQP1	AQP8	ASD9	AMZ0	ANA0	ANB0	AND8	ANCO
CL08 KARMA	ATK6	-	ALM1	-	-	-	AMR5	-	AMS5	-	-	-	AMZ1	ANA1	ANB1	AND9	ANC1
CL09 GLEE	-	-	ALM2	-	-	-	AMR6	-	AMS6	-	-	-	AMZ2	ANA2	ANB2	ANE0	ANC2
CL10 GRACE	-	-	ALL5	-	-	-	AMR7	-	AMS7	-	-	-	AMZ3	ANA3	ANB3	ANE1	ANC3
Peso lordo per scatola Gross weight per box	Please refer to website www.mirage.it		61,56	32,29	24,73	25,90	41,00	22,13	25,58	29,70	-	-	-	-	-	-	-
Pezzi per scatola Pieces for box	Please refer to website www.mirage.it		2	2	2	4	6	3	7	1	6	6	6 (3 dx + 3 sx)	6	6	-	-
Mq. scatola Mq. box	Please refer to website www.mirage.it		2,88	1,44	1,28	1,28	0,96	1,08	1,26	0,64	-	-	-	-	-	-	-
Scatole per full pallet Boxes per full pallet	Please refer to website www.mirage.it		20	35	48	28	36	40	40	42	-	-	-	-	-	-	-
Mq./pallet	Please refer to website www.mirage.it		57,60	50,40	61,44	35,84	34,56	43,20	50,40	26,88	-	-	-	-	-	-	-

A: Available / Disponibile



CLAY

		Battiscopa		Gradino G		Gradino A		Gradino B Ang.		Gradino B		Drapery		Mojo		Drapery (hexagon)*		Mojo (hexagon)*											
		72x600 27/8"x24"	72x800 27/8"x31 1/2"	300x600 12"x24"	330x800 13 1/5"x31 1/2"	300x600 12"x24"	330x800 13 1/5"x31 1/2"	330x1200 13 1/5"x48"	330x330 13 1/5"x13 1/5"	300x600 12"x24"	330x1200 13 1/5"x48"	330x800 13 1/5"x31 1/2"	800x800 31 1/2"x31 1/2"	800x800 31 1/2"x31 1/2"	800x693 31 1/2"x27 4"	800x693 31 1/2"x27 4"	800x693 31 1/2"x27 4"	800x693 31 1/2"x27 4"											
Spessore - Thickness		Pezzi speciali																											
Superficie - Surface		SP		NAT		SP		NAT		SP		NAT		SP		NAT		SP		NAT		ST SQ		ST SQ		ST SQ		ST SQ	
CL01 CALM	APT2	APS2	ARQ8	ATT3	A	ARR5	ATQ5	ATQ5	APM9	ATC1	API9	APL9	ARE8	ARF5	APM9	ARG2	APH2	API2											
CL02 DELIGHT	APT3	APS3	ARQ9	ATT4	A	ARR6	ATQ6	ATQ6	APN0	ATC2	APL0	APM0	A	ARF6	APN0	ARG3	APH3	API3											
CL03 AWAKE	APT4	APS4	ARR0	ATT5	ATU5	ARR7	ATQ7	ATQ7	APN1	ATC3	APL1	APM1	A	ARF7	APN1	ARG4	APH4	API4											
CL04 FANCY	APT5	APS5	ARR1	ATT6	ATU6	ARR8	ATQ8	ATQ8	APN2	ATC4	APL2	APM2	A	ARF8	APN2	ARG5	APH5	API5											
CL05 VERVE	APT6	APS6	ARR2	ATT7	ATU9	ARR9	ATQ9	ATQ9	APN3	ATC5	APL3	APM3	ARE9	ARF9	APN3	ARG6	APH6	API6	solo / only CL 04		solo / only CL 03		solo / only CL 04		solo / only CL 03				
CL06 SHY	APT7	APS7	ARR3	ATT8	ATU7	ARS0	ATR0	ATR0	APN4	ATC6	APL4	APM4	ARF0	ARG7	APN4	ARG7	APH7	API7	3 grafiche / 3 graphics		3 grafiche / 3 graphics								
CL07 TRUST	APT8	APS8	ARR4	ATT9	ATU9	ARS1	ATR1	ATR1	APN5	ATC7	APL5	APM5	ARF1	ARG8	APN5	ARG8	APH8	API8											
CL08 KARMA	APT9	APS9	-	ATU0	-	-	ATQ2	-	APN6	-	APL6	-	ARF2	-	APN6	-	APH9	-											
CL09 GLEE	APU0	APT0	-	ATU1	-	-	ATQ3	-	APN7	-	APL7	-	ARF3	-	APN7	-	API0	-											
CL10 GRACE	APU1	APT1	-	ATU2	-	-	ATQ4	-	APN8	-	APL8	-	ARF4	-	APN8	-	API1	-											
Pezzi per scatola Pieces for box	10	10	7	7	7	7	7	7	4	4	4	4	4	4	2	4	4	4	1	1	1	1	1	1	1	1	1	1	

A: Available / Disponibile
 * Ottenuto dal taglio del formato 800x800x20. / 800x800x20 cutting size.



















CARATTERISTICHE TECNICHE

Technical specifications | Technische Eigenschaften | Caractéristiques techniques

Características técnicas | Технические характеристики | 技术特征

STANDARD EN 14411 - G

	CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征	NORMA STANDARD NORM NORME NORMA НОРМА ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值		
	CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONNELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征					
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側邊	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING		
	SPESSORE THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING		
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTIDUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING		
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING		
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING		
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%		
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm².	±6 mm: S≥1100N R≥45 N/mm² ±9 mm: S≥2400N R≥48 N/mm² ±20 mm: S≥12.500N R≥48 N/mm²		
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCES - RESISTENCIA A LOS GOLPES УДАРОСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80		
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm²	< 150 mm²		
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6,6x10 ⁻⁶ °C ⁻¹		
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCES THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE		
	RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE		
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	B MIN.	A LA HA		
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5		
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT		
			SP	NAT	ST 20mm	
		DM 236/89 BCRA	> 0,40	> 0,40	> 0,40	
		ANSI A326.3	Wet and Dry	≥ 0,42	≥ 0,42	≥ 0,55
		AS 4586	-	P2	P3	P4
		DIN 51130	-	R9	R10	R11
		DIN 51097	-	-	A+B	A+B+C
		UNE 41901	≥ CL1	CL1	CL2	CL3
		BS 7976 sl.96-4S	Wet and Dry	-	≥ 0,36	≥ 0,36
		BS 7976 sl.55-TRL	Wet and Dry	-	≥ 0,36	≥ 0,36
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性					

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SPA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SPA

Para los certificados específicos, contactar Mirage SPA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书, 请联系Mirage Spa公司



Made in Italy

www.mirage.it



Mirage Granito Ceramico S.p.a.
41026 - Pavullo (MO) ITALY - Via Giardini Nord, 225
Tel. +39 0536 29611 - Fax +39 0536 21065
info@mirage.it - www.mirage.it