

EFFETTO PIETRA



Glacier **QR 01** 600x600 / 24"x24" NAT RECT

# QUARZITI 2.0

For floor and wall solutions,  
Quarziti 2.0 is a collection marked by  
colour shading that recreates the authentic  
heterogeneity of **NATURAL STONE**.

The rich variety of single-calibre modular sizes  
ensures full design freedom.



Mantle **QR 05** 300x600 / 12"x24" NAT RECT

**COLORI**

Colours | Farben | Couleurs | Colores | Цветов | 种颜色



Waterfall **QR 03** 200x600 / 8"x24" NAT RECT




Glacier  
**QR 01**




Mountains  
**QR 02**



Waterfall  
**QR 03**



River  
**QR 04**



Mantle  
**QR 05**



Glacier QR 01 600x600 / 24"x24" NAT RECT EVO\_2/E" ± 20 mm



Quarziti 2.0 is available with natural R10 and R12 finishes for outdoors, which on one hand ensures the **highest standards of safety and resistance to slipping**, and on the other the **perfect coordination between indoor and outdoor spaces**.

# EFFETTO PIETRA

## COLORI

Colours | Farben | Couleurs | Colores | Цветов | 种颜色

### GLACIER QR 01



Formati Nominali Nominal Sizes	Superficie Finish	Spessore mm Thickness mm
150x150 / 6"x6"	NAT RECT	9
200x300 / 8"x12"	NAT RECT	9
300x300 / 12"x12"	NAT RECT	9
200x600 / 8"x24"	NAT RECT	9
300x600 / 12"x24"	NAT RECT	9
300x600 / 12"x24"	NAT RECT - R12	9
400x600 / 16"x24"	NAT RECT	9
600x600 / 24"x24"	NAT RECT	9
600x1200 / 24"x48"	NAT RECT	9
300x600 / 12"x24"	NAT RECT	20
600x600 / 24"x24"	NAT RECT	20
450x900 / 18"x36"	NAT RECT	20
600x1200 / 24"x48"	NAT RECT	20

Stucchi consigliati Recommended grouts		
KERAKOLL	07	
MAPEI	111 Grigio Argento	
LATICRETE	88 Silver Shadow	

### MOUNTAINS QR 02



Formati Nominali Nominal Sizes	Superficie Finish	Spessore mm Thickness mm
150x150 / 6"x6"	NAT RECT	9
200x300 / 8"x12"	NAT RECT	9
300x300 / 12"x12"	NAT RECT	9
200x600 / 8"x24"	NAT RECT	9
300x600 / 12"x24"	NAT RECT	9
300x600 / 12"x24"	NAT RECT - R12	9
400x600 / 16"x24"	NAT RECT	9
600x600 / 24"x24"	NAT RECT	9
600x1200 / 24"x48"	NAT RECT	9
300x600 / 12"x24"	NAT RECT	20
600x600 / 24"x24"	NAT RECT	20
450x900 / 18"x36"	NAT RECT	20
600x1200 / 24"x48"	NAT RECT	20
Modular 300x600 + 600x900 12"x24" + 24"x36"	NAT RECT	20
600x600 / 24"x24"	NAT RECT	30

Stucchi consigliati Recommended grouts		
KERAKOLL	06	
MAPEI	110 Manhattan	
LATICRETE	89 Smoke Grey	

### WATERFALL QR 03



Formati Nominali Nominal Sizes	Superficie Finish	Spessore mm Thickness mm
150x150 / 6"x6"	NAT RECT	9
200x300 / 8"x12"	NAT RECT	9
300x300 / 12"x12"	NAT RECT	9
200x600 / 8"x24"	NAT RECT	9
300x600 / 12"x24"	NAT RECT	9
300x600 / 12"x24"	NAT RECT - R12	9
400x600 / 16"x24"	NAT RECT	9
600x600 / 24"x24"	NAT RECT	9
600x1200 / 24"x48"	NAT RECT	9
300x600 / 12"x24"	NAT RECT	20
600x600 / 24"x24"	NAT RECT	20
450x900 / 18"x36"	NAT RECT	20
600x1200 / 24"x48"	NAT RECT	20
Modular 300x600 + 600x900 12"x24" + 24"x36"	NAT RECT	20
600x600 / 24"x24"	NAT RECT	30

Stucchi consigliati Recommended grouts		
KERAKOLL	08	
MAPEI	112 Grigio Medio	
LATICRETE	78 Sterling Silver	

# QUARZITI 2.0

### RIVER QR 04



Formati Nominali Nominal Sizes	Superficie Finish	Spessore mm Thickness mm
150x150 / 6"x6"	NAT RECT	9
200x300 / 8"x12"	NAT RECT	9
300x300 / 12"x12"	NAT RECT	9
200x600 / 8"x24"	NAT RECT	9
300x600 / 12"x24"	NAT RECT	9
300x600 / 12"x24"	NAT RECT - R12	9
400x600 / 16"x24"	NAT RECT	9
600x600 / 24"x24"	NAT RECT	9
600x1200 / 24"x48"	NAT RECT	9
300x600 / 12"x24"	NAT RECT	20
600x600 / 24"x24"	NAT RECT	20
450x900 / 18"x36"	NAT RECT	20
600x1200 / 24"x48"	NAT RECT	20
600x600 / 24"x24"	NAT RECT	30

Stucchi consigliati Recommended grouts		
KERAKOLL	09	
MAPEI	113 Grigio Cemento	
LATICRETE	34 Sand Stone	

### MANTLE QR 05



Formati Nominali Nominal Sizes	Superficie Finish	Spessore mm Thickness mm
150x150 / 6"x6"	NAT RECT	9
200x300 / 8"x12"	NAT RECT	9
300x300 / 12"x12"	NAT RECT	9
200x600 / 8"x24"	NAT RECT	9
300x600 / 12"x24"	NAT RECT	9
300x600 / 12"x24"	NAT RECT - R12	9
400x600 / 16"x24"	NAT RECT	9
600x600 / 24"x24"	NAT RECT	9
600x1200 / 24"x48"	NAT RECT	9
300x600 / 12"x24"	NAT RECT	20
600x600 / 24"x24"	NAT RECT	20
450x900 / 18"x36"	NAT RECT	20
600x1200 / 24"x48"	NAT RECT	20
Modular 300x600 + 600x900 12"x24" + 24"x36"	NAT RECT	20

Stucchi consigliati Recommended grouts		
KERAKOLL	11	
MAPEI	114 Antracite	
LATICRETE	45 Raven	

RIASSUNTIVO FORMATI ED IMBALLI

Summary of sizes and packaging | Übersicht über Formate und Verpackungen | Récapitulatif formats et emballages  
Sinóptico de formatos y embalajes | Краткая информация о форматах и упаковках | 规格和包装概述

		± 9 mm								
Formati Nominali Nominal Sizes		150x150 6"x6"	200x300 8"x12"	300x300 12"x12"	200x600 8"x24"	300x600 12"x24"	300x600 12"x24"	400x600 16"x24"	600x600 24"x24"	600x1200 24"x48"
Tutti i formati sono rettificati.   All sizes are rectified.										
Superficie Finish		NAT	NAT	NAT	NAT	NAT	NAT R12	NAT	NAT	NAT
	GLACIER QR 01	V3	■	■	■	■	■	■	■	■
	MOUNTAINS QR 02	V3	■	■	■	■	■	■	■	■
	WATERFALL QR 03	V3	■	■	■	■	■	■	■	■
	RIVER QR 04	V3	■	■	■	■	■	■	■	■
	MANTLE QR 05	V3	■	■	■	■	■	■	■	■
	<b>Peso lordo per scatola</b> Gross weight per box	11,24	23,95	22,50	22,62	25,58	25,58	25,75	22,13	30,00
	<b>Pezzi per scatola</b> Pieces for box	28	17	12	8	7	7	5	3	2
	<b>mq. scatola</b> sqm. box	0,63	1,02	1,08	0,96	1,26	1,26	1,20	1,08	1,44
	<b>Scatole / Full pallet</b> boxes / Full pallet	68	51	48	54	40	40	60	40	35
	<b>mq. pallet</b> sqm. pallet	42,84	52,02	51,84	51,84	50,40	50,40	72,00	43,20	50,40

		± 20 mm					± 30 mm
Formati Nominali Nominal Sizes		300x600** 12"x24"	600x600 24"x24"	600x1200 24"x48"	450x900 18"x36"	Modular 300x600 + 600x900 12"x24" + 24"x36"	600x600 24"x24"
Tutti i formati sono rettificati.   All sizes are rectified.							
Superficie Finish		NAT	NAT	NAT	NAT	NAT	NAT
	GLACIER QR 01	V3	■	■	■	■	-
	MOUNTAINS QR 02	V3	■	■	■	■	■
	WATERFALL QR 03	V3	■	■	■	■	■
	RIVER QR 04	V3	■	■	■	■	-
	MANTLE QR 05	V3	■	■	■	■	-
	<b>Peso lordo per scatola</b> Gross weight per box	24,58	32,23	33,40	35,60	32,85	23,68
	<b>Pezzi per scatola</b> Pieces for box	3	2	1	2	2 (1 pz 300x600 + 1 pz 600x900)	1
	<b>mq. scatola</b> sqm. box	0,54	0,72	0,72	0,81	0,72	0,36
	<b>Scatole / Full pallet</b> boxes / Full pallet	40	30	35	27	36	40
	<b>mq. pallet</b> sqm. pallet	21,60	21,60	25,20	21,87	25,92	14,40

\*I pezzi non sono vendibili separatamente | Pieces cannot be sold separately.  
\*\*Formato ricavato dal taglio del 600x600x20 | 600x600x20 cutting size.

PEZZI SPECIALI

Special pieces | Sonderstücke | Pièces spéciales | Piezas especiales | специальные изделия | 特殊件

Pezzi speciali Special pieces		72x600 27"x24"	300x600 12"x24"	330x1200 13 1/2"x48"	300x600 12"x24"	165x300 6 3/5"x12"
Superficie Finish		NAT	NAT	NAT	NAT	NAT
	GLACIER QR 01	■	■	■	■	■
	MOUNTAINS QR 02	■	■	■	■	■
	WATERFALL QR 03	■	■	■	■	■
	RIVER QR 04	■	■	■	■	■
	MANTLE QR 05	■	■	■	■	■
	<b>Pezzi per scatola</b> Pieces for box	10	7	4	7	10

\* Finitura a becco di civetta | One-round edge shaping | Ausführung mit Eckabrundung | Façonnage à bord rond | Acabado canto romo | Плитка с завалом | 鹰嘴边缘处理

Pezzi speciali Special pieces		330x330 13 1/2"x13 1/2"	330x600 13 1/2"x24"	330x1200 13 1/2"x48"	300x600x20 12"x24"x3/4"
Superficie Finish		NAT	NAT	NAT	NAT
	GLACIER QR 01	■	■	■	■
	MOUNTAINS QR 02	■	■	■	■
	WATERFALL QR 03	■	■	■	■
	RIVER QR 04	■	■	■	■
	MANTLE QR 05	■	■	■	■
	<b>Pezzi per scatola</b> Pieces for box	4	4	2	3

MY NOTES

.....

.....

.....

.....

.....

**Maggiori informazioni**  
More information




DECORI

Decors | Dekore | Decors | Decoros | Декоры | 装饰砖

**Mattoncino NAT**  
300x300 / 12"x12"  
Tessere 24x48 / 1"x2"



**Rudd NAT (burattato)**  
300x300 / 12"x12"  
Tessere 60x60 / 2 2/8"x2 2/8"



**Fragment NAT**  
300x600 / 12"x24"



RIVER QR 04 MANTLE QR 05

Pezzi per scatola Pieces for box	
<b>Mattoncino</b>	6
<b>Rudd</b>	11
<b>Fragment</b>	5

**MATTONCINO, RUDD, FRAGMENT:**  
Decoro su rete | Mesh-backed decoration | Dekor auf netz | Décor sur filet | Decoración en red | Декор в сети | 网板背帖装饰件

CARATTERISTICHE TECNICHE

Technical specifications | Technische Eigenschaften | Caractéristiques techniques | Características técnicas | Технические характеристики | 技术特征

STANDARD EN 14411 - G

	CARATTERISTICHE TECNICHE TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征	NORMA STANDARD NORM NORME NORMA НORMА ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值
	<b>LATI</b> SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 侧边	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING
	<b>SPESSORE</b> THICKNESS - DICKE EPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING
	<b>RETTILINEITÀ DEGLI SPIGOLI</b> STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTITUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING
	<b>ORTOGONALITÀ</b> RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING
	<b>PLANARITÀ</b> SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING
	<b>ASSORBIMENTO D'ACQUA</b> WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%
	<b>RESISTENZA ALLA FLESSIONE</b> FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm².	±9 mm: S ≥ 2.400 N R ≥ 48 N/mm² ±20 mm: S ≥ 12.500 N R ≥ 48 N/mm² ±30 mm: S ≥ 26.000 N R ≥ 48 N/mm²
	<b>RESISTENZA ALL'URTO</b> IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCES - RESISTENCIA A LOS GOLPES УДАРСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80
	<b>RESISTENZA ALL'ABRASIONE</b> ABRASION RESISTANCE - ABRIEBFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm³	< 150 mm³
	<b>COEFFICIENTE DI DILATAZIONE TERMICA LINEARE</b> COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	-	α=7x10 <sup>-6</sup> °C <sup>-1</sup>
	<b>RESISTENZA AGLI SBALZI TERMICI</b> RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCES THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	<b>RESISTENZA AL GELO</b> FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	<b>RESISTENZA ALL'ATTACCO CHIMICO</b> RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	UB MIN.	A LA HA
	<b>RESISTENZA ALLE MACCHIE</b> RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5
	<b>CESSIONE DI PIOMBO E CADMIUM</b> LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIUM ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT
	<b>SCIVOLOSITÀ</b> SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性			

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SPA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Para los certificados específicos, contactar Mirage SPA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书, 请联系Mirage SpA公司